ELSEVIER

Forest Ecology and Management 189 (2004) 407–408

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 189

VOLUME 189, ISSUES 1–3 **23 FEBRUARY 2004**

Review article

Fire and restoration of piñon–juniper woodlands in the western United States: a review
W.L. Baker and D.J. Shinneman (Laramie, WY, USA) 1

Regular articles

Regeneration by coppicing (resprouting) of miombo (African savanna) trees in relation to land use
E.J. Luoga, E.T.F. Witkowski and K. Balkwill (Johannesburg, South Africa) 23

Proportion and quality of heartwood in Togolese teak (*Tectona grandis* L.f.)
A.D. Kokutse (Cestas, France and Lomé, Togo), H. Baillères (Montpellier, France), A. Stokes (Cestas, France) and K. Kokou (Lomé, Togo) 37

A survey of foliar mineral nutrient concentrations of *Pinus canariensis* at field plots in Tenerife
M. Tausz, W. Trummer, A. Wonisch, W. Goessler, D. Grill (Graz, Austria), M.S. Jiménez and D. Morales (Tenerife, Spain) . . . 49

Late-summer soil water content on clear-cut reforestation areas two decades after site preparation in Finnish Lapland
K. Mäkitalo and J. Hyvönen (Rovaniemi, Finland) 57

Wood-fuel yields in short-rotation coppice growth in the north Sudan savanna in Burkina Faso
R. Nygård (Burkina Faso), L. Sawadogo (Umeå, Sweden) and B. Elfving (Burkina Faso) 77

Evaluating tree carbon predictions for beech (*Fagus sylvatica* L.) in western Germany
R. Joosten, J. Schumacher, C. Wirth and A. Schulte (Jena, Germany) 87

Growth and yield models for teak plantations in Costa Rica
I. Bermejo, I. Cañellas and A.S. Miguel (Madrid, Spain) 97

The influence of site quality, silviculture and region on wood density mixed model in *Quercus petraea* Liebl.
E. Guilley (Champenoux, France), J.-C. Hervé (Nancy, France) and G. Nepveu (Champenoux, France) 111

Characterisation of chloroplast DNA haplotypes to reveal the provenance and genetic structure of oaks in Ireland
C.T. Kelleher, T.R. Hodkinson, D.L. Kelly and G.C. Douglas (Dublin, Ireland) 123

Spatial patterns of cone serotiny in *Pinus banksiana* in relation to fire disturbance
V.C. Radeloff, D.J. Mladenoff, R.P. Guries (Madison, WI, USA) and M.S. Boyce (Edmonton, AB, USA) 133

Regenerating mahogany (*Swietenia macrophylla* King) on clearings in Mexico's Maya forest: the effects of clearing method and cleaning on seedling survival and growth
L.K. Snook (Jakarta, Indonesia) and P. Negreros-Castillo (Ames, IA, USA) 143

Planted green ash (*Fraxinus pennsylvanica* Marsh.) and herbaceous vegetation responses to initial competition control during the first 3 years of afforestation
J.W. Groninger, S.G. Baer, D.-A. Babassana (Carbondale, IL, USA) and D.H. Allen (Golconda, IL, USA) 161

Reforesting the jack pine barrens: a long-term common garden experiment
J.S. Kilgore and F.W. Telewski (East Lansing, MI, USA) 171

Decadal responses in soil N dynamics at the Bear Brook Watershed in Maine, USA
S. Jefts, I.J. Fernandez (Orono, ME, USA), L.E. Rustad (Durham, NH, USA) and D. Bryan Dail (Orono, ME, USA) 189

Effect of harvest intensity on development of natural regeneration and shrubs in an Ontario boreal mixedwood stand
G. Blake MacDonald (Sault Ste. Marie, Canada), M.L. Cherry (Corvallis, OR, USA) and D.J. Thompson (Sault Ste. Marie, Canada) 207

Studying within-stand structure and dynamics with geostatistical and molecular marker tools
N. Nanos (Palencia, Spain), S.C. González-Martínez (Madrid, Spain) and F. Bravo (Palencia, Spain) 223

Maximal species richness: an empirical approach for evaluating woody plant forest biodiversity
J. Terradas, R. Salvador, J. Vayreda and F. Lloret (Barcelona, Spain) 241

doi:10.1016/S0378-1127(04)00029-5

Interaction between *Stipa tenacissima* and *Pinus halepensis*: consequences for reforestation and the dynamics of grass steppes in semi-arid Mediterranean areas
M. Gasque and P. García-Fayos (Valencia, Spain) 251
Genetic and soil factors associated with variation in visual magnesium deficiency symptoms in *Pinus radiata*
P.N. Beets, G.R. Oliver, M.O. Kimberley, S.H. Pearce and B. Rodgers (Rotorua, New Zealand) 263
Stand dynamics of introduced black locust (*Robinia pseudoacacia* L.) plantation under different disturbance regimes in Korea
C.-S. Lee (Seoul, South Korea), H.-J. Cho (Taegu, South Korea) and H. Yi (Corvallis, OR, USA) 281
Influence of initial root length on physiological responses of cherrybark oak and Shumard oak seedlings to field drought conditions
R.M. Gazal (Tucson, AZ, USA) and M.E. Kubiske (Rhinelander, WI, USA) 295
The canopy surface and stand development: assessing forest canopy structure and complexity with near-surface altimetry
G.G. Parker (Edgewater, MD, USA) and M.E. Russ (College Park, MD, USA) 307
Modeling spatial variation in tree diameter–height relationships
L. Zhang (Syracuse, NY, USA), H. Bi (West Pennant Hills, Australia and Beecroft, Australia), P. Cheng and C.J. Davis (Syracuse, NY, USA) 317
Nitrogen supply and demand in short-rotation sweetgum plantations
D. Andrew Scott (Pineville, LA, USA), J.A. Burger (Blacksburg, VA, USA), D.J. Kaczmarek (Summerville, SC, USA) and M.B. Kane (Ridgeland, MS, USA) 331
Economic analysis of growth response from a pine plantation forest applied with biosolids
M.O. Kimberley, H. Wang (Rotorua, New Zealand), P.J. Wilks, C.R. Fisher (Nelson, New Zealand) and G.N. Magesan (Rotorua, New Zealand) 345
Recovery of decomposition and soil microarthropod communities in an Appalachian watershed two decades after a clearcut
L. Heneghan (Chicago, IL, USA), A. Salmore and D.A. Crossley Jr. (Athens, GA, USA) 353
Forest fragmentation in the Pacific Northwest: quantification and correlations
B.J. Butler (Newtown Square, PA, USA), J.J. Swenson and R.J. Alig (Corvallis, OR, USA) 363
Species richness of Cerambycidae in larch plantations and natural broad-leaved forests of the central mountainous region of Japan
M. Ohsawa (Yamanashi, Japan) 375
Demographic responses of shrews to removal of coarse woody debris in a managed pine forest
T.S. McCay (Hamilton, NY, USA) and M.J. Komoroski (Aiken, SC, USA) 387
Fine root production and turnover across a complex edaphic gradient of a *Pinus palustris–Aristida stricta* savanna ecosystem
J.B. West (Athens, GA, USA and St. Paul, MN, USA), J.F. Espeleta (Athens, GA, USA and Puerto Viejo de Sarapiquí, Costa Rica) and L.A. Donovan (Athens, GA, USA) 397

Contents of *Forest Ecology and Management*, Volume 189 407